

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,379,913
APPLICATION NO.: 09/995,298
ISSUE DATE : May 27, 2008
INVENTOR(S) : Dale Everett Steele and Kenneth Alan Silva

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At section (75) of page 1, please replace Dale Everett Steele's address of "Portland, OR (US)" with the address "8562 Stone Avenue N; Seattle, WA 98103 (US) (206) 664-1110".

At section (75) of page 1, please replace Kenneth Alan Silva's address of "Vancouver, WA (US)" with the address "601 NW 131st Street, Vancouver, WA, 98685 (US) (971) 570-1050".

At section (73) of page 1, please replace Assignee Nextowrth, Inc.'s "Portland, OR (US)" address with the address "601 NW 131st Street, Vancouver, WA, 98685 (US) (971) 570-1050".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Stolowitz Ford Cowger LLP
621 SW Morrison Road, Suite 600
Portland, OR 97205

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.